

 **EMPAVELI**[®]
(pegcetacoplan) injection
1080 mg/20 mL solution

Cathy is
an adult
who's taken
EMPAVELI.

Support you can expect when starting EMPAVELI

EMPAVELI IMPORTANT SAFETY INFORMATION

What is EMPAVELI[®] (pegcetacoplan)?

EMPAVELI is a prescription medicine used to treat:

- ▶ adults with a disease called paroxysmal nocturnal hemoglobinuria (PNH).
- ▶ adults and children 12 years of age and older with a kidney disease called complement 3 glomerulopathy (C3G) or primary immune-complex membranoproliferative glomerulonephritis (IC-MPGN), to reduce levels of protein in the urine (proteinuria).


What is the most important information I should know about EMPAVELI?

EMPAVELI is a medicine that affects your immune system and may lower the ability of your immune system to fight infections.

EMPAVELI increases your chance of getting serious infections caused by encapsulated bacteria such as *Streptococcus pneumoniae*, *Neisseria meningitidis*, and *Haemophilus influenzae* type B. These serious infections may quickly become life-threatening or cause death if not recognized and treated early.

1. You must complete or be up to date with the vaccines against *Streptococcus pneumoniae* and *Neisseria meningitidis* at least 2 weeks before your first dose of EMPAVELI.

Please see full Important Safety Information, including Boxed WARNING regarding risk of serious infections, on pages 10-11, and the full Prescribing Information and Medication Guide.



Your path from prescription to self-administration after proper training

Please see full Important Safety Information, including Boxed WARNING regarding risk of serious infections, on pages 10-11, and the full [Prescribing Information and Medication Guide](#).

Welcome to your new treatment journey with EMPAVELI[®] (pegcetacoplan)

This guide was designed to introduce supportive resources to help you feel ready when you start EMPAVELI. Each section outlines helpful steps you will take as you find your stride.

As always, remember that your ApellisAssist[®] team will be with you the whole time. Your Care Coordinator, through our specialty pharmacy partner, PANTHERx[®] Rare, and an Apellis Care Educator (ACE) are available by phone if you have any questions. It's time to take your first step! Remember, you should always talk to your doctor about any questions or concerns you may have regarding your treatment.



1-866-MY-APL-ASSIST (1-866-692-7527)
from 8 AM-8 PM ET, Monday-Friday

ApellisAssist can also connect
you to a pharmacist who is on
call 24 hours a day

Please see full Important Safety Information, including Boxed WARNING regarding risk of serious infections, on pages 10-11, and the full [Prescribing Information](#) and [Medication Guide](#).

Support every step of the way



The ApellisAssist program is designed to help you along your treatment journey

ApellisAssist has you covered. There are multiple programs to help eligible patients access treatment and offer benefits investigation support.


With the program, you have access to:



Financial assistance
(for those who are eligible)



Insurance
support



Self-administration
training from an ACE



Disease education and
EMPAVELI resources

Your ApellisAssist support partners

With EMPAVELI, you're not alone. When you enroll in ApellisAssist, you'll get dedicated support every step of the way.



Care Coordinator

Through our specialty pharmacy partner, PANTHERx, a Care Coordinator will:

- ▶ Help schedule your deliveries for medication and supplies
- ▶ Walk you through your insurance benefits and explain financial assistance options you may be eligible for



Apellis Care Educator (ACE)

Your ACE is there for you from the start. They are trained professionals with nursing backgrounds that offer:

- ▶ 1-on-1 training on how to self-administer EMPAVELI—in your home or virtually
- ▶ Ongoing support throughout your treatment journey
- ▶ A wide variety of tools and resources
- ▶ Answers and guidance to questions that may arise

Care Coordinators and ACEs do not give medical advice. Talk to your doctor for treatment-related questions.

Please see full Important Safety Information, including Boxed WARNING regarding risk of serious infections, on pages 10-11, and the full Prescribing Information and Medication Guide.

Starting your journey

After enrolling in the ApellisAssist program, follow these straightforward steps to prepare for your first dose of EMPAVELI

Receive vaccinations

Before starting your treatment journey with EMPAVELI, you will need to get certain vaccines. They may help reduce the risk of certain serious infections.

Establish insurance coverage

If you have insurance questions, your Care Coordinator will help you figure out your coverage options. Once you are enrolled, you may be eligible for one of the financial assistance programs.

Coordinate EMPAVELI delivery

Through PANTHERx, your Care Coordinator will help schedule your deliveries for medication and supplies.

Complete self-administration training

Your dedicated ACE will provide self-administration training and disease education. It's up to you to decide if you prefer in-person or virtual self-administration training.

Get familiar with your CareKit by Apellis™

When your first delivery of EMPAVELI arrives, you'll also receive a CareKit containing:

- ▶ Treatment supplies such as alcohol wipes, gauze, and adhesive bandages
- ▶ CareKit Treatment Journal
- ▶ EMPAVELI Treatment Brochure
- ▶ EMPAVELI Injector Placemat
- ▶ Your choice of:*

 - A blanket or Buzzy[®]
 - Socks or neck wrap

*You will be able to choose your items with your ACE.



VACCINATION SUPPORT

Our ApellisAssist team offers support to help you obtain any vaccinations recommended before starting EMPAVELI. Your physician can opt-in to Vaccination Support on the EMPAVELI Start Form and a dedicated team member will follow up with you to provide additional information and discuss if you may be eligible for support.

Please see full Important Safety Information, including Boxed WARNING regarding risk of serious infections, on pages 10-11, and the full Prescribing Information and Medication Guide.

Integrating treatment into your life



HOME SUITE HOME has tools to help you stay organized, store your medication, and get comfortable in your own space

You will have access to these tools once you enroll in the ApellisAssist program, but they are not a requirement. You can ask your ACE to help you order these tools at any time. We hope that you will find them to be a helpful addition to your treatment journey.



My Infusion Studio

A case to simply stow away all of your treatment supplies

The portable My Infusion Studio has useful features and compartments to store your non-refrigerated treatment supplies so you can make your self-administration experience more convenient wherever you go!



Refrigerator storage

A secure storage solution for your medication cartons

The refrigerator storage is designed so you can safely store and lock vial cartons of your medication in the fridge. You can use it to keep your medication separate from food, but still have easy access!



Travel bag

A cooler to keep your medication at the right temperature

When you're on the go, it's important to always keep your medication cool. The travel bag keeps your vials at the right temperature (36°F-46°F [2°C-8°C]) when on the go for up to 19 hours.



HSH TV

Expert advice on storage and comfort from an interior designer

Genevieve Gorder shares her unique design tips and insights into storage solutions for your treatment supplies. Learn how to jump-start your routine and set up your space so that you're more comfortable when taking your medication.

[Click here to watch the HSH videos](#)

Please see full Important Safety Information, including Boxed WARNING regarding risk of serious infections, on pages 10-11, and the full [Prescribing Information](#) and [Medication Guide](#).

Building a routine means more control of your schedule

Find a self-administration strategy that works best for you

You can stay on track with your treatment schedule by following these suggestions:



Establish a shipment schedule so you won't have to break your routine for low supplies or late/missing deliveries



Pick the same time to take your EMPAVELI on scheduled days—this can help you get into a consistent groove



Set up reminders on your phone to help you stay on top of your treatment schedule and appointments with your healthcare provider



Ease into a weekly routine with the administration, perhaps during a favorite show or program

Please read the Instructions for Use that came with your medication.

Please see full Important Safety Information, including Boxed WARNING regarding risk of serious infections, on pages 10-11, and the full [Prescribing Information](#) and [Medication Guide](#).

Travel with less worry



As you start to pack for your trip, you can use this helpful checklist to gather the necessary supplies

For each time you self-administer using the EMPAVELI Injector, you'll need:

- 1 single-dose vial individually packaged in its original carton
- Keep vials in their outer cartons to protect against light and breakage
- 1 EMPAVELI Injector device
- 1 sterile 20 mL syringe
- 1 needleless transfer device (eg, vial adapter)
- Alcohol wipes

You'll also need:

- Ice pack(s) and cooler to keep medication stored between 36°F to 46°F (2°C-8°C)
- Sharps container
- Patient Safety Card

If provided an infusion pump for taking your EMPAVELI, talk to your ACE about different supplies that may be needed



Keep your signed Travel Letter with you when traveling

This Travel Letter explains the supplies you need for self-administering EMPAVELI. Presenting this letter to customs and security officials will help ensure you move through security easily.

Download your Travel Letter at [EMPAVELI.com](https://www.empaveli.com)

Please see full Important Safety Information, including Boxed WARNING regarding risk of serious infections, on pages 10-11, and the full Prescribing Information and Medication Guide.

Help is never far away as you find your stride

When you have...

- ▶ Questions about insurance
- ▶ Questions about delivery, late delivery, or need to reschedule
- ▶ No vials or low on vials
- ▶ Missing or lost supplies

Contact...



Your Care Coordinator

Call: 1-866-MY-APL-ASSIST
(1-866-692-7527)

- ▶ Questions around the self-administration process
- ▶ Questions to better understand your disease state



Your ACE

Contact your ACE directly or call:
1-866-MY-APL-ASSIST (1-866-692-7527)

- ▶ Questions about your care, treatment, dose, or side effects
- ▶ Questions about EMPAVELI Risk Evaluation and Mitigation Strategy (REMS), vaccinations, or Patient Safety Card
- ▶ Travel questions and/or need to sign your Travel Letter



Your Healthcare Team

IMPORTANT SAFETY INFORMATION

What is EMPAVELI[®] (pegcetacoplan)?

EMPAVELI is a prescription medicine used to treat:

- ▶ adults with a disease called paroxysmal nocturnal hemoglobinuria (PNH).
- ▶ adults and children 12 years of age and older with a kidney disease called complement 3 glomerulopathy (C3G) or primary immune-complex membranoproliferative glomerulonephritis (IC-MPGN), to reduce levels of protein in the urine (proteinuria).

What is the most important information I should know about EMPAVELI?

EMPAVELI is a medicine that affects your immune system and may lower the ability of your immune system to fight infections.

EMPAVELI increases your chance of getting serious infections caused by encapsulated bacteria such as *Streptococcus pneumoniae*, *Neisseria meningitidis*, and *Haemophilus influenzae* type B. These serious infections may quickly become life-threatening or cause death if not recognized and treated early.

1. You must complete or be up to date with the vaccines against *Streptococcus pneumoniae* and *Neisseria meningitidis* at least 2 weeks before your first dose of EMPAVELI.
2. If you have not completed your vaccines and EMPAVELI must be started right away, you should receive the required vaccines as soon as possible.
3. If you have not been vaccinated and EMPAVELI must be started right away, you should also receive antibiotics to take for as long as your healthcare provider tells you.
4. If you have been vaccinated against these bacteria in the past, you might need additional vaccines before starting EMPAVELI. Your healthcare provider will decide if you need additional vaccines.
5. Vaccines do not prevent all infections caused by encapsulated bacteria. **Call your healthcare provider or get emergency medical care right away if you get any of these signs and symptoms of a serious infection:**
 - ▶ fever with or without shivers or the chills
 - ▶ fever with chest pain and cough
 - ▶ fever with high heart rate
 - ▶ headache and a fever
 - ▶ confusion
 - ▶ clammy skin
 - ▶ fever and a rash
 - ▶ fever with breathlessness or fast breathing
 - ▶ headache with nausea or vomiting
 - ▶ headache with a stiff neck or stiff back
 - ▶ body aches with flu-like symptoms
 - ▶ eyes sensitive to light

Your healthcare provider will give you a Patient Safety Card about the risk of serious infections. Carry it with you at all times during treatment and for 2 months after your last EMPAVELI dose. Your risk of serious infections may continue for several weeks after your last dose of EMPAVELI. It is important to show this card to any healthcare provider who treats you. This will help them diagnose and treat you quickly.

EMPAVELI is only available through a program called the EMPAVELI Risk Evaluation and Mitigation Strategy (REMS). Before you can take EMPAVELI, your healthcare provider must enroll in the EMPAVELI REMS program, counsel you about the risk of serious infections caused by certain bacteria, give you information about the symptoms of serious infections, make sure that you are vaccinated against serious infections caused by encapsulated bacteria and that you receive antibiotics if you need to start EMPAVELI right away and you are not up to date on your vaccines, and give you a Patient Safety Card about your risk of serious infections.

Who should NOT take EMPAVELI?

Do not take EMPAVELI if you:

- ▶ are allergic to pegcetacoplan or any of the ingredients in EMPAVELI.
- ▶ have a serious infection caused by encapsulated bacteria, including *Streptococcus pneumoniae*, *Neisseria meningitidis*, and *Haemophilus influenzae* type B when you are starting EMPAVELI treatment.

Please see full [Prescribing Information](#), including **Boxed WARNING** regarding risk of serious infections, and [Medication Guide](#) for additional information.

IMPORTANT SAFETY INFORMATION (cont'd)

Before you take EMPAVELI, tell your healthcare provider about all of your medical conditions, including if you:

- ▶ have an infection or fever.
- ▶ are pregnant or plan to become pregnant. EMPAVELI may harm your unborn baby. Females who are able to become pregnant should have a pregnancy test before starting treatment with EMPAVELI and use an effective method of birth control during treatment with EMPAVELI and for 40 days after the last dose.
- ▶ are breastfeeding or plan to breastfeed. It is not known if EMPAVELI passes into your breast milk. You should not breastfeed during treatment with EMPAVELI and for 40 days after the last dose.

Tell your healthcare provider about all the vaccines you receive and medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements which could affect your treatment.

If you have PNH and you stop taking EMPAVELI, your healthcare provider will need to monitor you closely for at least 8 weeks after stopping EMPAVELI. Stopping treatment with EMPAVELI may cause a breakdown of red blood cells due to PNH.

Symptoms or problems that can happen due to red blood cell breakdown include:

- ▶ decreased hemoglobin level in your blood
- ▶ blood in your urine
- ▶ shortness of breath
- ▶ trouble swallowing
- ▶ tiredness
- ▶ pain in the stomach (abdomen)
- ▶ blood clots
- ▶ erectile dysfunction (ED)

What are the possible side effects of EMPAVELI?

EMPAVELI can cause serious side effects including allergic reactions. Allergic reactions can happen during your EMPAVELI infusion. Stop your EMPAVELI infusion and tell your healthcare provider or get emergency medical care right away if you get any of these symptoms during your EMPAVELI infusion:

- ▶ chest pain
- ▶ trouble breathing or shortness of breath
- ▶ wheezing
- ▶ swelling of your face, tongue, or throat
- ▶ feel faint or pass out
- ▶ fast heart rate
- ▶ nausea or vomiting
- ▶ feel confused or anxious
- ▶ skin reactions, including rash, hives, and itching

The most common side effects in people with PNH treated with EMPAVELI include injection-site reactions; infections; diarrhea; pain in the stomach (abdomen); respiratory tract infection; pain in the arms, hands, legs, or feet; low potassium in blood; tiredness; viral infection; cough; joint pain; dizziness; headache; and rash.

The most common side effects in adults and children 12 years of age and older with C3G or primary IC-MPGN treated with EMPAVELI include injection-site reactions, fever, common cold, flu, cough, and nausea.

These are not all of the possible side effects of EMPAVELI. Tell your healthcare provider about any side effect that bothers you or that does not go away.

Call your healthcare provider for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please see full Prescribing Information, including Boxed WARNING regarding risk of serious infections, and Medication Guide for additional information.

 **EMPAVELI**[®]
(pegcetacoplan) injection
1080 mg/20 mL solution



Laura is
an adult
who's taken
EMPAVELI.

Learn more about EMPAVELI and the ways the ApellisAssist team can support you during treatment at [EMPAVELI.com](https://www.empaveli.com)

Please see Important Safety Information, including Boxed WARNING regarding risk of serious infections, on pages 10-11, and the full [Prescribing Information](#) and [Medication Guide](#).

Apellis

APELLIS, APELLISASSIST, EMPAVELI, and their respective logos are registered trademarks of Apellis Pharmaceuticals, Inc. Other trademarks referenced herein are the property of their respective owners.
©2025 Apellis Pharmaceuticals, Inc. 7/25 US-PEGRARE-2500012 v1.0